



EMINENT

EM4436
8-Port Gigabit Switch, 8 PoE ports

en

Manual

EM4436 - 8-Port Gigabit Switch, 8 PoE ports

Table of contents

1.0 Introduction	2
1.1 Packing contents	2
2.0 Front and rear panel description	2
2.1 Front panel	2
2.1.1 LED Indicator description.....	3
2.2 Rear panel.....	4
3.0 Rack-mount Installation	4
4.0 Connect Powered Device to the Switch	4
5.0 Switch Features and Specifications	5
6.0 Frequently Asked Questions and other related information.....	6
7.0 Service and support.....	6
8.0 Warning and points of attention	6
9.0 Warranty conditions.....	7

1.0 Introduction

Congratulations with the purchase of this high-quality Eminent product! This product has undergone extensive testing by Eminent's technical experts. Should you experience any problems with this product, you are covered by Eminent warranty. Please keep this manual and the receipt in a safe place.

Register your product now on www.eminent-online.com and receive product updates!

1.1 Packing contents

The following parts need to be present in the packing:

- EM4436 8-Port Gigabit Switch, 8 PoE ports
- Manual
- Power cord
- 19" mounting bracket

2.0 Front and rear panel description

2.1 Front panel

Figure 1-1 shows the front panel of the switch.



Ports :

These ports are connection points for PCs and other network devices, such as additional switches.

2.1.1 LED Indicator description

You can see the switch's work status by LED indicators. The following table shows these indicators function:

LED	Status	Description
PWR	On	Power is supplied
	Off	No power
Link	On	A valid link is established
	Blinking	Data packets transferring
	Off	No link is established
PoE	On	There is a PoE Powered Device connected to the port, which supply power successfully.
	Off	No Powered Device connect to the port.
MAX1, port 1~4	On	When the power to Powered Devices has reached the maximum power (The power of all the connected PoE ports is $\geq 55W$). No power may be supplied if additional PDs are connected.
	Blinking	When the power output to Powered Devices has exceeded the maximum power (The total power of all the connected PoE ports is $\geq 70W$).
	Off	The power of all the connected PoE ports is $< 55W$, or no Powered Devices are connected to the corresponding port.
MAX2, port 5~8	On	When the power to Powered Devices has reached the maximum power (The power of all the connected PoE ports is $\geq 55W$). No power may be supplied if additional PDs are connected.
	Blinking	When the power output to Powered Devices has exceeded the maximum power (The total power of all the connected PoE ports is $\geq 70W$).
	Off	The power of all the connected PoE ports is $< 55W$, or no Powered Devices are connected to the corresponding port.

2.2 Rear panel

Figure 1-2 shows the rear panel of the switch.




Power:

The power port is where you need to connect the power cord.

3.0 Rack-mount Installation

The switch is rack-mountable and can be installed on an 19 inch equipment rack. To do this, first, please install the mounting brackets on the switch's side panels(one on each side), secure them with the included screws, and then use the screws provided with the equipment rack to mount the switch on the 19 inch rack.



4.0 Connect Powered Device to the Switch

All ports of the switch have PoE power supply function. The maximum output power of each port can reach up to 30W. The total maximum power is 75W. It can make PD devices, such as internet phone, network camera, wireless access point work. The switch provides five levels of 3.84 ~ 25.5W electric power request. You only need to connect the switch PoE port directly to the PD port by network cable.

5.0 Switch Features and Specifications

Features:

- 8 × 10/100/1000Mbps Auto-negotiation Gigabit RJ45 ports with 8 ports of PoE function (port1-port8)
- Supports PoE power up to 30W for each PoE port
- Supports total PoE power up to 140W for all PoE ports
- Supports PoE IEEE802.3af and IEEE802.3at compliant Powered Device (PD)
- Supports IEEE802.3x flow control for Full-duplex Mode and backpressure for Half-duplex Mode
- 8K entry MAC address table of the switch with auto-learning and auto-aging
- LED indicators for monitoring power, link, activity, POE
- Internal power supply

Specifications:

Standards	IEEE802.3, IEEE802.3u IEEE 802.3x, IEEE802.3af, IEEE802.3at, IEEE802.3ab	
Network Media (Cable)	10Base-T: UTP category 3,4,5 cable (maximum 100m) 100Base-TX: UTP category 5, 5e cable (maximum 100m) 1000Base-T: UTP category 5e,6 cable or up(maximum 100m)	
Number of Ports	8 x 10/100/1000Mbps Auto-Negotiation ports	
Switching Capacity	16G	
LED indicators	10/100/1000	Link/Act
	PoE	PoE
	Other	Power
Transfer Method	Store-and-Forward	
PoE Power on RJ-45	Power+: pin 1 & pin 2	
	Power-: pin 3 & pin 6	
MAC Address Learning	Automatically learning, automatically Update	
Frame Filtering and Forward Rate	10Mbps: 14880pps,100Mbps: 148800pps, 1000Mbps:1488000pps	
Dimensions (L x W x H)	280*180*44mm	
Weight	1457gr	
Environment	Operating Temperature: 0°C~40°C Storage Temperature: -10°C~70°C Operating Humidity: 10%~90% non-condensing Storage humidity: 5%~90% non-condensing	

6.0 Frequently Asked Questions and other related information

The latest Frequently asked questions for your product can be found on the support page of your product. Eminent will update these pages frequently to assure you have the most recent information. Visit www.eminent-online.com for more information about your product.

7.0 Service and support

This user manual has been carefully written by Eminent's technical experts. If you have problems installing or using the product, please fill out the support form at the website www.eminent-online.com/support.

You can also contact us by phone. Please check www.eminent-online.com/support for the helpdesk phone number and opening hours.

8.0 Warning and points of attention



Due to laws, directives and regulations set out by the European parliament, some (wireless) devices could be subject to limitations concerning its use in certain European member states. In certain European member states the use of such devices could be prohibited. Contact your (local) government for more information about this limitations.

Always follow up the instructions in the manual*, especially where it concerns devices which need to be assembled.

Warning: In most cases this concerns an electronic device. Wrong/improper use may lead to (severe) injuries!

When you connect the device to the mains, make sure it will not be damaged or subject to (high) pressure.

A power socket is needed which should be close and easy accessible from the device. Repairing of the device should be done by qualified Eminent staff. Never try to repair the device yourself. The warranty immediately voids when products have undergone self-repair and/or by misuse. For extended warranty conditions, please visit our website at www.eminent-online.com/warranty.

Dispose of the device appropriately. Please follow your countries regulation for the disposal of electronic goods.

Please check below safety points carefully:

- Do not apply external force on the cables
- Do not unplug the device by pulling the power cable
- Do not place the device near heating elements
- Do not let the device come in contact with water of other liquids

- If there is any strange sound, smoke or odor, remove the device immediately from the power outlet.
- Do not put any sharp objects into the venting hole of a product
- Do not use any damaged cables (risk of electric shock)
- Keep the product out of reach of children
- Wipe off the product with soft fabric, not water mop.
- Keep the power plug and outlet clean
- Do not unplug the device from the power outlet with wet hands
- Unplug the device when you don't use it for a long time
- Use the device at a well ventilated place

**Tip: Eminent manuals are written with great care. However, due to new technological developments it can happen that a printed manual does not longer contain the most recent information. If you are experiencing any problems with the printed manual or you cannot find what you are looking for, please always check our website www.eminent-online.com first for the newest updated manual.*

Also, you will find frequently asked questions in the FAQ section. It is highly recommended to consult the FAQ section. Very often the answer to your questions will be found here.

9.0 Warranty conditions

The Eminent warranty applies to all Eminent products. After buying a second-hand Eminent product the remaining period of warranty is measured from the moment of purchase by the product's initial owner. Eminent warranty applies to all Eminent products and parts, indissolubly connected or mounted to the product it concerns. Power supply adapters, batteries, antennas and all other products not directly integrated in or connected to the main product or products of which, without reasonable doubt, can be assumed that wear and tear during use will show a different pattern than the main product, are not covered by the Eminent warranty. Products are not covered by the Eminent warranty when exposed to incorrect/improper use, external influences or when opening the service parts of the product by parties other than Eminent. Eminent may use refurbished materials for repair or replacement of your defective product. Eminent cannot be held responsible for changes in network settings by internet providers. We cannot guarantee that the Eminent networking product will keep working when settings are changed by the internet providers. Eminent cannot guarantee the working of web services, apps and other third party content that is available through Eminent products.

When my product gets defective

Should you encounter a product rendered defective for reasons other than described above: Please contact your point of purchase for taking care of your defective product.

Section 1

EN|EU DECLARATION OF CONFORMITY

Eminent declares that this device complies with the Directives as listed in section 2 of this document.

NL|EU-CONFORMITEITSVERKLARING

Eminent verklaart dat dit apparaat voldoet aan de Richtlijnen die worden vermeld in sectie 2 van dit document.

IT|DICHIARAZIONE UE DI CONFORMITÀ

Eminent dichiara che questo dispositivo è conforme alle direttive elencate nella Sezione 2 di questo documento.

ES|DECLARACIÓN UE DE CONFORMIDAD

Eminent declara que este dispositivo cumple con las Directivas mencionadas en la Sección 2 de este documento.

PT|DECLARAÇÃO DE CONFORMIDADE UE

A Eminent declara que este dispositivo está em conformidade com as Diretivas, conforme listado na Seção II deste documento.

HU|EU-MEGFELELŐSÉGI NYILATKOZAT

Az Eminent kijelenti, hogy a készülék megfelel ezen dokumentum 2. szakaszában felsorolt irányelveknek.

FR|DÉCLARATION UE DE CONFORMITÉ

Eminent déclare que eet appareil est conforme aux Directives telles qu'énumérées dans la Section 2 du présent document.

DE|EU-KONFORMITÄTSERKLÄRUNG

Eminent erklärt, dass dieses Gerät den in Abschnitt 2 dieses Dokuments aufgeführten Richtlinien entspricht.

PL|DEKLARACJA ZGODNOŚCI UE

Eminent deklaruje, że urządzenie jest zgodne z dyrektywami wymienionymi w pkt 2 niniejszego dokumentu.

CZ|EU PROHLÁŠENÍ O SHODĚ

Eminent prohlašuje, že toto zařízení je v souladu se směrnicemi, jak je uvedeno v odstavci 2 tohoto dokumentu.

DK|OVERENSSTEMMELSEERKLÆRING

Eminent erklærer, at denne enhed overholder direktiverne som anført i afsnit 2 i dette dokument.

NO|EF-ERKLÆRING

Eminent erklærer at denne enheten er i samsvar med direktivene som er oppført i avsnitt 2 i dette dokumentet.

SV|EU FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

Eminent försäkrar att den här produkten överensstämmer med de Direktiv som anges i avsnitt 2 i detta dokument.

FI|VAATIMUSTENMUKAISUUSVAKUUTUS

Eminent ilmoittaa, että laitetta mukainen tämän asiakirjan 2 jaksossa luettuja.

RO|DECLARAȚIE DE CONFORMITATE UE

Eminent declară că dispozitivul este în conformitate cu Directivele enumerate în secțiunea a doua a prezentului document.

GR|ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ

Eminent δηλώνει ότι αυτή η συσκευή είναι συμβατή με τις Οδηγίες που παρατίθενται στο τμήμα 2 του παρόντος εγγράφου.

TR|AB UYGUNLUK BEYANI

Eminent bu cihazın bu belgenin 2. bölümünde listelenen direktiflere uygun olduğunu beyan eder.

Section 2



DECLARATION OF CONFORMITY

We, the manufacturer / importer,

Intronics BV
Koolhovenstraat 1E
3772 MT Barneveld
The Netherlands

Declare that the product:

Product number: EM4436

Product description: 8-Port Gigabit Switch, 8 PoE por

Is in compliance with the essential requirements and other relevant provisions of the following directives:

EMC Directive (2014/30/EU)

RoHS Directive (2011/65/EU)

LVD Directive (2014/35/EU)

The product is compatible with the following norms / standards:

EMC

EN 55022:2010+AC:2011 Class B; EN 55024:2010

EN 61000-3-2:2014 Class A; EN 61000-3-3:2013

LVD

IEC 60950-1:2005 (Second Edition) +Am 1:2009+Am 2:2013

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013

CE mark was first applied in: 2016-07-16

Intended use: Indoor

Barneveld, 2016-10-21

Trademarks: all brand names are trademarks and/or registered trademarks of their respective holders.

The information contained in this document has been created with the utmost care. No legal rights can be derived from these contents. Eminent cannot be held responsible, nor liable for the information contained in this document.



Eminent is a member of the Intronics Group



WWW.EMINENT-ONLINE.COM